

Publications Associated with UAB MRRC Core D – Developmental Genomics

1. Korf BR. Molecular diagnosis of Duchenne/Becker dystrophy. *Contemporary Obstetrics and Gynecology* 1990;35:27.
2. Specht LA, Beggs AH, Korf B, Kunkel LM, Shapiro F. Prediction of dystrophin phenotype by DNA analysis in Duchenne/Becker muscular dystrophy. *PediatrNeurol* 1992;8:432.
3. Kenna MA, Wu BL, Cotanche DA, Korf BR, Rehm HL. Connexin 26 studies in patients with sensorineural hearing loss. *Archives of Otolaryngology--Head and Neck Surgery* 2001;127:1037.
4. White LM, Rogan PK, Nicholls RD, Wu BL, Korf B, Knoll JH. Allele-specific replication of 15q11-q13 loci: a diagnostic test for detection of uniparental disomy. *Am J HumGenet* 1996;59:423.
5. Poussaint TY, Jaramillo D, Chang Y, Korf B. Interobserver reproducibility of volumetric MR imaging measurements of plexiform neurofibromas. *AJR Am J Roentgenol* 2003;180:419.
6. Lim R, Jaramillo D, Poussaint TY, Chang Y, Korf B. Superficial neurofibroma: a lesion with unique MRI characteristics in patients with neurofibromatosis type 1. *AJR AmJRoentgenol* 2005;184:962.
7. Zacharia TT, Jaramillo D, Poussaint TY, Korf B. MR imaging of abdominopelvic involvement in neurofibromatosis type 1: a review of 43 patients. *PediatrRadiol* 2005;35:317.
8. Wu BL, Boles RG, Yaari H, Weremowicz S, Schneider GH, Korf BR. Somatic mosaicism for deletion of the entire NF1 gene identified by FISH. *HumGenet* 1997;99:209.
9. Wu BL, Schneider GH, Korf BR. Deletion of the entire NF1 gene causing distinct manifestations in a family. *American Journal of Medical Genetics* 1997;69:98.
10. Korf BR. *Human Genetics and Genomics: A Problem-Based Approach*. Oxford: Blackwell Science; 2006.
11. Rimoin DP, R.; Connor, J.M.; Korf, B. *Emery and Rimoin's Principles and Practice of Medical Genetics*. 5 ed. Philadelphia: Elsevier; 2006.
12. Dracopoli DC, Haines JL, Korf BR, et al. *Short Protocols in Human Genetics*. Hoboken: John Wiley and Sons; 2005.
13. De Baere E, Fukushima Y, Small K, et al. Identification of BPESC1, a novel gene disrupted by a balanced chromosomal translocation, t(3;4)(q23;p15.2), in a patient with BPES. *Genomics* 2000;68:296-304.
14. De Baere E, Dixon MJ, Small KW, et al. Spectrum of FOXL2 gene mutations in blepharophimosis-ptosis-epicanthus inversus (BPES) families demonstrates a genotype-phenotype correlation. *Hum Mol Genet* 2001;10:1591-600.
15. De Baere E, Beysen D, Oley C, et al. FOXL2 and BPES: mutational hotspots, phenotypic variability, and revision of the genotype-phenotype correlation. *Am J Hum Genet* 2003;72:478-87.
16. Claes K, Machackova E, De Vos M, Poppe B, De Paepe A, Messiaen L. Mutation analysis of the BRCA1 and BRCA2 genes in the Belgian patient population and identification of a Belgian founder mutation BRCA1 IVS5 + 3A > G. *Dis Markers* 1999;15:69-73.
17. Vandenbroucke I, Callens T, De Paepe A, Messiaen L. Complex splicing pattern generates great diversity in human NF1 transcripts. *BMC Genomics* 2002;3:13.
18. Vandenbroucke, II, Vandesompele J, Paepe AD, Messiaen L. Quantification of splice variants using real-time PCR. *Nucleic Acids Res* 2001;29:E68-8.
19. Zatkova A, Messiaen L, Vandenbroucke I, et al. Disruption of exonic splicing enhancer elements is the principal cause of exon skipping associated with seven nonsense or missense alleles of NF1. *Hum Mutat* 2004;24:491-501.

20. Vandenbroucke I, Van Oostveldt P, Coene E, De Paepe A, Messiaen L. Neurofibromin is actively transported to the nucleus. *FEBS Lett* 2004;560:98-102.
21. Messiaen LM, Wimmer K. Pitfalls of automated comparative sequence analysis as a single platform for routine clinical testing for NF1. *J Med Genet* 2005;42:e25.
22. Wimmer K, Yao S, Claes K, et al. Spectrum of single- and multiexon NF1 copy number changes in a cohort of 1,100 unselected NF1 patients. *Genes Chromosomes Cancer* 2006;45:265-76.
23. Upadhyaya M, Huson SM, Davies M, et al. An absence of cutaneous neurofibromas associated with a 3-bp inframe deletion in exon 17 of the NF1 gene (c.2970-2972 delAAT): evidence of a clinically significant NF1 genotype-phenotype correlation. *Am J Hum Genet* 2007;80:140-51.
24. Maertens O, Brems H, Vandesompele J, et al. Comprehensive NF1 screening on cultured Schwann cells from neurofibromas. *Hum Mutat* 2006;27:1030-40.
25. Maertens O, De Schepper S, Vandesompele J, et al. Molecular dissection of isolated disease features in mosaic neurofibromatosis type 1. *Am J Hum Genet* 2007;81:243-51.
26. De Raedt T, Maertens O, Chmara M, et al. Somatic loss of wild type NF1 allele in neurofibromas: Comparison of NF1 microdeletion and non-microdeletion patients. *Genes Chromosomes Cancer* 2006;45:893-904.
27. De Schepper S, Maertens O, Callens T, Naeyaert JM, Lambert J, Messiaen L. Somatic Mutation Analysis in NF1 Cafe au lait Spots Reveals Two NF1 Hits in the Melanocytes. *J Invest Dermatol* 2007.
28. Brems H, Chmara M, Sahbatou M, et al. Germline loss-of-function mutations in SPRED1 cause a neurofibromatosis 1-like phenotype. *Nat Genet* 2007;39:1120-6.
29. Crowley MR, Frost A, Chen DT, Baffi MO, Nicola T, Serra R. Transforming growth factor-beta signaling helps specify tumor type in DMBA and hormone-induced mammary cancers. *Differentiation* 2006;74:40-52.
30. Serra R, Crowley MR. Mouse models of transforming growth factor beta impact in breast development and cancer. *Endocr Relat Cancer* 2005;12:749-60.
31. Crowley MR, Bowtell D, Serra R. TGF-beta, c-Cbl, and PDGFR-alpha the in mammary stroma. *Dev Biol* 2005;279:58-72.
32. Crasto CJ, Feng J. Sequence codes for extended conformation: a neighbor-dependent sequence analysis of loops in proteins. *Proteins* 2001;42:399-413.
33. Crasto C, Singer MS, Shepherd GM. The olfactory receptor family album. *Genome Biol* 2001;2:REVIEWS1027.
34. Crasto C, Marengo L, Miller P, Shepherd G. Olfactory Receptor Database: a metadata-driven automated population from sources of gene and protein sequences. *Nucleic Acids Res* 2002;30:354-60.
35. Crasto CJ, Morse TM, Migliore M, et al. Creating knowledgebases to text-mine PUBMED articles using clustering techniques. *AMIA Annu Symp Proc* 2003:821.
36. Crasto CJ, Marengo LN, Migliore M, et al. Text mining neuroscience journal articles to populate neuroscience databases. *Neuroinformatics* 2003;1:215-37.
37. Crasto CJ, Masiar P, Miller PL. NeuroExtract: facilitating neuroscience-oriented retrieval from broadly-focused bioscience databases using text-based query mediation. *J Am Med Inform Assoc* 2007;14:355-60.
38. Crasto CJ, Marengo LN, Liu N, et al. SenseLab: new developments in disseminating neuroscience information. *Brief Bioinform* 2007;8:150-62.
39. Mrug M, Li R, Cui X, Schoeb TR, Churchill GA, Guay-Woodford LM. Kinesin family member 12 is a candidate polycystic kidney disease modifier in the cpk mouse. *J Am Soc Nephrol* 2005;16:905-16.
40. Mrug M, Zhou J, Woo Y, et al. Overexpression of innate immune response genes in a model of recessive polycystic kidney disease. *Kidney Int* 2007.
41. Mikhail FM, Descartes M, Piotrowski A, et al. A previously unrecognized microdeletion syndrome on chromosome 22 band q11.2 encompassing the BCR gene. *Am J Med Genet A* 2007;143:2178-84.

42. Pinkel D, Seagraves R, Sudar D, et al. High resolution analysis of DNA copy number variation using comparative genomic hybridization to microarrays. *Nat Genet* 1998;20:207-11.
43. Buckley PG, Mantripragada KK, Piotrowski A, Diaz de Stahl T, Dumanski JP. Copy-number polymorphisms: mining the tip of an iceberg. *Trends Genet* 2005;21:315-7.
44. Trivedi P, Edwards JW, Wang J, et al. HDBStat!: a platform-independent software suite for statistical analysis of high dimensional biology data. *BMC Bioinformatics* 2005;6:86.
45. Page GP, Edwards JW, Gadbury GL, et al. The PowerAtlas: a power and sample size atlas for microarray experimental design and research. *BMC Bioinformatics* 2006;7:84.