

## Publications Associated with utilization of Core-B resources

- Alonso, M., Medina, J.H., and Pozzo-Miller, L. (2004). ERK activation is necessary for BDNF to increase dendritic spine density in hippocampal CA1 pyramidal neurons. *Learn. Mem.* 11:172-178.
- Beckman ML and Quick MW: Substrate-induced regulation of ion flux through a Drosophila serotonin transporter. *Neuropharmacology* 40: 526-535, 2001.
- Bordey A., and Sontheimer, H. (2003). Modulation of Glutamatergic Transmission by Bergmann Glial Cells in Rat Cerebellum In Situ. *J. Neurophysiol.* 89:979-988.
- Brenner, M., Johnson, A.B., Boespflug-Tanguy, O., Rodriguez, D., Goldman, J.E. and Messing, A. Mutations in *GFAP*, encoding glial fibrillary acidic protein, are associated with Alexander disease. *Nature Genetics* 27: 117-120, 2001.
- Britt WJ, Jarvis M, Drummond D, Mach M. Antigenic domain 1 (AD-1) is required for oligomerization of human cytomegalovirus glycoprotein B. *Journal of Virology* 79: 4066-4079(2005).
- Chang Y, Ghansah E, Chen Y, Ye J, Weiss DS, Chang Y. Desensitization mechanism of GABA receptors revealed by single oocyte binding and receptor function. *J Neurosci.* 2002 Sep 15;22(18):7982-90.
- Chang Y, Weiss DS. Site-specific fluorescence reveals distinct structural changes with GABA receptor activation and antagonism. *Nat Neurosci.* 2002 Nov 5; (11):1163-8.
- Cho CH, Song W, Leitzell K, Teo E, Meleth AD, Quick MW, Lester RAJ. Rapid upregulation of  $\alpha 7$  nicotinic acetylcholine receptors by tyrosine dephosphorylation. *J. Neurosci* 25:3712-3723(2005).
- Chung WJ, Gillespie GY, Hamza H, Sontheimer H. Inhibition of cystine uptake arrests the growth of primary brain tumors. *J. Neurosci.*, 25:7101-10(2005).
- Couchman, J.R., S. Vogt, S.T. Lim, Y. Lim, E.S. Oh, G.D. Prestwich, A.B. Theibert, W. Lee, and A. Woods. Regulation of Inositol Phospholipid Binding and Signaling through Syndecan-4. *J. Biol. Chem.* 277: 49296-49303, 2002.
- deKay J, Chang TC, Mills N, Speed HE, Dobrunz LE. Responses of Excitatory Hippocampal Synapses to Natural Stimulus Patterns Reveal a Decrease in Short-term Facilitation and Increase in Short-term Depression During Postnatal Development. *Hippocampus* 2005 (In press).
- Dekay JG, Chang TC, Mills N, Speed HE, Dobrunz LE. Responses of excitatory hippocampal synapses to natural stimulus patterns reveal a decrease in short-term facilitation and increase in short-term depression during postnatal development. *Hippocampus* Oct 31 (electronic version in advance of print). (2005).
- Dick O, Hack I, Altmann WD, Garner CC, Gundelfinger ED, Brandstätter JH Localization of the Presynaptic Cytomatrix Protein Piccolo at Ribbon and Conventional Synapses in the Rat Retina: A Comparison with Bassoon. *J. Comp. Neurol.*, 15;439(2):224-34,2001.
- Fenster S.D., Garner C.C. Gene structure and genetic localization of the PCLO gene encoding the presynaptic active zone protein Piccolo. *Int J Dev Neurosci.* Jun-Aug;20(3-5):161-71, 2002.
- Fenster, S.D., Kessels, M.M., Qualmann, B., Chung, W.J., Nash, J., Gundelfinger, E.D., & Garner, C.C. Interactions between Piccolo and the actin/dynamamin-binding protein Abp1 link vesicle endocytosis to presynaptic active zones. *J.Biol.Chem.* 278(22), 20268-20277.(2003).
- Fenster, S.D., Whitworth T., Tyler, W.J., Quick M.W., and L.D. Pozzo-Miller. Calcium phosphate-mediated transfection of organotypic slice cultures of postnatal rat hippocampus using GFP and RFP as markers: application for morphological studies. *Society for Neuroscience*, 2002.
- Filippova, N., Sedelnikova, A., Tyler, W.J., Whitworth, T.L., Fortinberry, H., and Weiss, D.S. Recombinant GABA<sub>A</sub> receptors expressed in rat hippocampal neurons after infection with an adenovirus containing the rho1 subunit. *Journal of Physiology.* 535:145-153, 2001.
- Horton, N. & Quick, M.W. Syntaxin 1A up-regulates GABA transporter expression by subcellular redistribution. *Mol.Membr.Biol.* 18(1), 39-44.(2001).
- Hsiao VC, Rujin T, Long H, Perng MD, Brenner M, Quinlan R, Goldman JE. Alexander disease mutation of GFAP causes filament disorganization and decreased solubility of GFAP protein. *J. Cell Science* 118:2057-2065(2005).
- Huang Y. Z., Q. Wang, S. Won, Z.G. Luo; W.C. Xiong, Lin Mei: Compartmentalized NRG signaling and PDZ domain-containing proteins in synapse structure and function. *Int. J. Dev. Neurosci.* 726:1-13, 2002.

- Huang Y.Z., M. Zang, W.C. Xiong, Z. Luo, L. Mei. Erbin suppresses the MAP kinase pathway. *J. Biol. Chem.* 278:1108-1114, 2003.
- Huang, Y.Z., Wang, Q., Xiong, W.C., & Mei, L. Erbin is a protein concentrated at postsynaptic membranes that interacts with PSD-95. *J Biol.Chem.* 276(22), 19318-19326.(2001).
- Kim, C.-H., Xiong, W.C., and Mei, L. (2003). Regulation of MuSK expression by a novel signaling pathway. *J. Biol. Chem.* 278:38522-38527.
- Kushner SA, Elgersma Y, Murphy GG, et al. (including Pozzo-Miller LL). Modulation of presynaptic plasticity and learning by the H-ras/extracellular signal-regulated kinase/synapsin I signaling pathway. *J Neurosci* 25:9721-9734(2005).
- Lanigan, T.M., Liu, A., Huang, Y.Z., Mei, L., Margolis, B., and Guan, K.-L. (2003). Human homologue of Drosophila CNK interacts with Ras effector proteins Raf and Rif. *FASEB J.* 17:2048-2060.
- Lee H.-J., K.-M. Jung, Y.Z. Huang, L.B. Bennett, J.S. Lee, L. Mei, and T.-W. Kim. Presenilin-dependent gamma-secretase-like intramembrane cleavage of ErbB4. *J. Biol. Chem.* 277: 6318-6323, 2002.
- Li R, Johnson AB, Salomons GS, Goldman JE, Naidu S, Quinlan R, Cree B, Ruyle SZ, Banwell B, D'Hooghe M, Siebert JR, Rolf CM, Cox H, Reddy A, Gutiérrez-Solana LG, Collins A, Weller RO, Jakobs C, Messing A, Van der Knaap MS, Brenner M. GFAP mutations in infantile, juvenile and adult forms of Alexander disease. *Annals Neurol.* 57:310-326(2005).
- Li, Rong, Messing, A., Goldman, J.E. and Brenner, M.: GFAP mutations in Alexander disease. *International Journal of Developmental Neuroscience* 734:1-10, 2002.
- Liu A., M.S. Prenger, D.D. Norton, L. Mei, J.W. Kusiak, and G. Bai. NGF uses Ras/Erk and PI3K cascades to upregulate the NR1 promoter. *J. Biol. Chem.* 276: 45372-45379, 2001
- Luo Z.G., Q. Wang, J.Z. Zhou, J. Wang, Z. Luo, M. Liu, X. He, A. Wynshaw-Boris, W.C. Xiong, B. Lu, Lin Mei. Regulation of AChR Clustering by Dishevelled Interacting with MuSK and PAK1. *Neuron* 35:489-505, 2002.
- Luo, Z., Wang, Q., Dobbins, G.C., Levy, S. Xiong, W.C., and Mei, L. (2003). Signaling complexes for postsynaptic differentiation. *J. Neurocytol.* 32:697-708.
- Luo, Z.G., Je, H.-S., Wang, Q., Yang, F., Dobbins, G.C., Yang, Z.-H., Xiong, W.C., Lu, B., and Mei, L. (2003). Implication of geranylgeranyltransferase I in synaptogenesis. *Neuron* 40:703-717.
- Lupien, C., Brenner, M., Guérin, S.L., and Salesse, C. Expression of glial fibrillary acidic protein in primary cultures of human Müller cells. *Experimental Eye Research.* (submitted/undergoing final revision).
- Ma, L., Huang, Y.Z., Pitcher, G.M., Valtschanoff, J.G., Ma, Y.H., Feng, L.Y., Lu, B., Xiong, W.C., Salter, M.W., Weinberg, R.J., & Mei, L. Ligand-dependent recruitment of the ErbB4 signaling complex into neuronal lipid rafts. *J Neurosci* 23(8), 3164-3175.(2003).
- Mach M, Kropff B, Kryzyzaniak M, Britt W. Complex formation of glycoproteins M and N of human cytomegalovirus: structural and functional aspects. *Journal of Virology* 79: 2160-2170(2005).
- McFerrin MB, H. Sontheimer. A role for ion channels in glioma cell invasion. *Neuron Glial Biology*, In press.
- Mei, L. & Xiong, W.C. Two birds with one stone: a novel motif for ACh receptor assembly quality control. *Trends Neurosci* 26(4), 178-181.(2003).
- Neill, J.D. Mammalian gonadotropin-releasing hormone (GnRH) receptor sub-types. *Archives of Physiology and Biochemistry* 110:129-136, 2002.
- Neill, J.D. Minireview: GnRH and GnRH Receptor Genes in the Human Genome. *Endocrinology* 143:737-743, 2002.
- Neill, J.D., Duck, L.W. and Musgrove, L.C. GnRH II Receptor is Encoded in Genomes of Human, Monkey, and Pig but not Mouse. *The Endocrine Society 84th Annual Meeting*, San Francisco, Abstract#P1-97, June 19-22, 2002.
- Olsen M, Higashimori H, Campbell S, Hablitz J, Sontheimer H. Functional expression of Kir4.1 channels in spinal cord astrocytes. *Glia* (In press).
- Olsen, M.L., Schade, S., Lyons, S.A., Amaral, M.D., and Sontheimer, H. (2003). Expression of Voltage-Gated Chloride Channels in Human Glioma Cells. *J. Neurosci.* 23:5572-5582.
- Padmanabhan, V., M.B. Brown, G. Dahl, N.P. Evans, F.J. Karsch, D.T. Mauger, J.D. Neill, J.V. Cleef. Neuroendocrine control of FSH secretion: III. Is there a GnRH-independent component of episodic FSH secretion in orariectomized luteal phase ewes? *Endocrinology* 144:1380-1392, 2003.
- Pozzo-Miller, L.D., Medina, J.H., and Alonso, M. (2003). BDNF increases dendritic spine density in hippocampal CA1 pyramidal neurons via ERK1/2 activation. *Society for Neuroscience Abstracts* 7.9.
- Prichard M, Britt WJ, Daily SL, Hartline CB, Kern ER. Human cytomegalovirus UL97 kinase is required for the normal intranuclear distribution of pp65 and virion morphogenesis. *J of Virology*, 2005 (In press).
- Quick, M.W. Role of syntaxin 1A on serotonin transporter expression in developing thalamocortical neurons. *Int.J.Dev.Neurosci.* 20(3-5), 219-224.(2002).

- Quick, M.W.: Substrates regulate  $\gamma$ -aminobutyric acid transporters in a syntaxin 1A-dependent manner. *PNAS* 99: 5686-5691, 2002.
- Ren AR, Du OS, Huang YZ, Ao SZ, Mei L & Xiong WC. (2001) PSGAP, a novel PH and SH3 domain containing rhoGAP protein, interacts with PYK2 and FAK. *J. Cell Biol.* 152: 971-984.
- Ren, Y., Meng, S., Mei, L., Zhao, Z.J., Jove, R., and Wu, J. (2004). Roles of Gab1 and SHP2 in paxillin tyrosine dephosphorylation and Src activation in response to epidermal growth factor. *J. Biol. Chem.* 279:8497-8505.
- Ritch, P.A., Carroll, S.L., & Sontheimer, H. Neuregulin-1 enhances motility and migration of human astrocytic glioma cells. *J.Biol.Chem.* 278(23), 20971-20978.(2003).
- Rodgers, E., Kearns, B., Chapman, C., Hammond, J., Howell, A., and Theibert, A. The Arf6 GAP centaurin  $\alpha$ -1 is a neuronal actin binding protein which also functions via GAP independent activity to regulate the actin cytoskeleton. *Eur. J. Cell Biol.* 10:541-555. (2004).
- Rodgers, E.E. & Theibert, A.B. Functions of PI 3-kinase in development of the nervous system. *Int.J.Dev.Neurosci.* 20(3-5), 187-197.(2002).
- Rodgers, E.R., Kearns, B.G., Donaldson, J.G., and Theibert, A.B. *In vivo* Interactions of Centourarin  $\alpha$  with PtdIns(3,4,5) P3, Arf6 and Actin: *American Society of Cell Biology*. Abstract, 2001.
- Sedelnikova, A. & Weiss, D.S. Phosphorylation of the recombinant rho1 GABA receptor. *Int.J.Dev.Neurosci.* 20(3-5), 237-246.(2002).
- Su, M., Hu, H., Lee, Y., d'Zaao, A., Messing, A., & Brenner, M. Expression specificity of GFAP transgenes. *Neurochem.Res.* (2004). In press.
- Sun HY, Lyons SA, Dobrunz, LE. 2005. Mechanisms of target-cell specific short-term plasticity at Schaffer collateral synapses onto interneurons vs. pyramidal cells in juvenile rats. *J Physiol* 568:815- 840(2005).
- Thyagarajan, D., Chataway, T., Li, R., Gai, W.P., Brenner, M. Dominantly-inherited adult-onset leukodystrophy with palatal tremor caused by a mutation in the glial fibrillary acidic protein gene. *Mov. Disord.* 19:1244-1248. (2004).
- Torres, V.I. & Weiss, D.S. Identification of a tyrosine in the agonist binding site of the homomeric rho1 gamma-aminobutyric acid (GABA) receptor that, when mutated, produces spontaneous opening. *J Biol.Chem.* 277(46), 43741-43748.(2002).
- Van der Knaap, M.S., Salomons, G.S., Li, R., Franzoni, E., Gutiérrez-Solana, L.G., Smit, L.M.E., Robinson, R., Ferrie, C.D., Cree, B., Reddy, A., Thomas, N., Banwell, B., Barkhof, F., Jakobs, C., Johnson, A., Messing, A., & Brenner, M. Unusual variants of Alexander disease. *Ann.Neurol.* (2005). In press.
- Van der Knaap, MS, Salomons GS, Li R, Franzoni E, Gutiérrez-Solana LG, Smit LME, Robinson R, Ferrie CD Cree B, Reddy A, Thomas N, Banwell B, Barkhof F, Jakobs C, Johnson A, Messing A, Brenner M. Unusual variants of Alexander disease. *Annals Neurol.* 57:327-338(2005).
- Wang Q., Y. Xie, Q.-S. Du, X.-J. Wu, X. Feng, L. Mei, J. McDonald, and W.C. Xiong. Regulation of the formation of osteoclastic actin rings by PYK2 interacting with gelsolin. *J. Cell Biol.*, 160:565-575, 2003.
- Whitworth, T.L. and Quick, M.W.: Substrate-induced regulation of gamma-aminobutyric acid transporter trafficking requires tyrosine phosphorylation. *J Biol Chem* 276(46): 42932-42937, 2001.
- Whitworth, T.L., Herndon, L.C. and Quick, M.W.: Psychostimulants differentially regulate serotonin transporter expression in Thalamocortical neurons. *Journal of Neuroscience* 21:1-6, 2001.
- Wong K., X.R. Ren1, Y.Z. Huang, Yi Xie, Guofa Liu, H. Saito, Hao Tang, Leng Wen, S. Brady-Kalnay, L. Mei, J.Y. Wu, W.C. Xiong2, and Y. Rao2. Signal Transduction in Neuronal Migration: Roles of GTPase Activating Proteins and the Small GTPase Cdc42 in the Slit-Robo Pathway. *Cell* 107:209-221, 2001 (1, equal contributing first authors; 2, equal corresponding authors)
- Wotring VE, Miller TS, Weiss DS. Mutations at the GABA receptor selectivity filter: a possible role for effective charges. *J Physiol.* 2003 Apr 15; 548(Pt 2):527-40.
- Xiong, W.C., and Mei, L. (2003). Roles of fak family kinases in nervous system. *Front Biosci.* 8:S676-682.
- Ye, Z.-C. and Sontheimer, H. Modulation of glial glutamate transport through cell interactions with the extracellular matrix. *Int. J. Dev. Neurosci.* 20:209-217 2002.
- Yu X, Shah S, Atanasov I, Lo P, Liu F, Britt WJ, Zhou ZH. Three-dimensional localization of the smallest capsid protein in the human cytomegalovirus capsid. *Journal of Virology* 79:1327-1332(2005).
- Zhai, R., Friedmon, H.V. Cases-Langhoff, C., Beckers, B., Gundelfinger, E.D, Ziv, N., and C. C. Garner. Assembling the presynaptic active zone: Characterization of an Active zone precursor vesicle. *Neuron* 29:131,143. 2001.