

Publications resulting from the use of MRRC Cores C and E during the previous grant cycle:

- Alonso M, Medina JH and Pozzo-Miller L (2004). ERK activation is necessary for BDNF to increase dendritic spine density in hippocampal CA1 pyramidal neurons. Learn Mem 11: 172-178. Cover feature.
- Amaral MD, and Pozzo-Miller L (2005). On the role of neurotrophins in dendritic calcium signaling: implications for hippocampal transsynaptic plasticity. In: *Synaptic Plasticity and Transsynaptic Signaling*, Stanton PK, Bramham CR, and Scharfman HE (Eds.), pp 185-200. New York: Springer Science and Business Media.
- Beckman ML and Quick MW (2001). Substrate-induced regulation of ion flux through a Drosophila serotonin transporter. Neuropharmacology 40: 526-535.
- Bordey A and Sontheimer H (2003). Modulation of glutamatergic transmission by Bergmann glial cells in rat cerebellum *in situ*. J Neurophysiol 89: 979-988.
- Bordey A, Lyons SA, Hablitz JJ and Sontheimer H (2001). Electrophysiological characteristics of reactive astrocytes in experimental cortical dysplasia. J Neurophysiol 85: 1719-1731.
- Chattipakorn SD and McMahon LL (2002). Pharmacological characterization of glycine-gated chloride currents recorded in rat hippocampal slices. J Neurophysiol 87: 1515-1525.
- Chu Z and Hablitz JJ (2003). GABA_B receptor-mediated heterosynaptic depression of excitatory synaptic transmission in rat frontal neocortex. Brain Res 959: 39-49.
- Clancy B, Silva-Filho and Friedlander MJ (2001). Structure and projection of white matter neurons in the postnatal rat visual cortex. J Comp Neurol 434: 233-252.
- Coleman LA and Friedlander MJ (2002). Postnatal dendritic development of Y-like geniculocortical relay neurons. Int J Dev Neurosci 20: 137-159.
- Covernton PJO and Lester RAJ (2002). Prolonged stimulation of presynaptic nicotinic acetylcholine receptors in the rat interpeduncular nucleus has differential effects on transmitter release. Int J Dev Neurosci 20: 247-258
- Deshane J, Garner CC and Sontheimer H (2003). Chlorotoxin inhibits glioma cell invasion via matrix metalloproteinase-2. J Biol Chem 278: 4135-44.
- Dick O, Hack I, Altrock WD, Garner CC, Gundelfinger ED and Brandstätter JH (2001). Localization of the presynaptic cytomatrix protein Piccolo at ribbon and conventional synapses in the rat retina: A comparison with Bassoon. J Comp Neurol 439: 224-34.
- Dmitriev AV and Mangel SC (2004). Retinal pH reflects retinal energy metabolism in the day and night. J Neurophysiol 91: 2404-2412.
- Filippova N, Sedelnikova A, Tyler WJ, Whitworth TL, Fortinberry H and Weiss DS (2001). Recombinant GABA_A receptors expressed in rat hippocampal neurons after infection with an adenovirus containing the rho1 subunit. J Physiol 535:145-153.
- Gavrikov KE, Dmitriev AV, Keyser KT and Mangel SC (2003). Cation-chloride cotransporters mediate neural computation in the retina. Proc Natl Acad Sci USA 100: 16047-16052.
- Gonzalez-Islas C and Hablitz JJ (2003). Dopamine Enhances EPSCs in Layer II-III Pyramidal Neurons in Rat Prefrontal Cortex. J Neurosci 23: 867-875.
- Hablitz JJ and DeFazio RA (2000) Altered receptor subunit expression in rat neocortical malformations. Epilepsia 41: 82-S85.
- Hamblet NS, N Lijam, P Ruiz-Lozano, J Wang, ZG Luo, Y Yang, L Mei, KR Chien, DJ Sussman and A Wynshaw-Boris (2002). Dishevelled-2 is essential for cardiac outflow tract development, somite segmentation, and neural tube closure. Development 129: 5827-5838.
- Horton N and Quick MW (2001). Syntaxin 1A up-regulates GABA transporter expression by subcellular redistribution. Mol Membr Biol 18: 39-44.
- Huang YZ, Wang Q, Xiong WC and Mei L (2001). Erbin is a protein concentrated at postsynaptic membranes that interacts with PSD-95. J Biol Chem 276: 19318-19326.
- Huang YZ, Q Wang, S Won, ZG Luo, WC Xiong, L Mei (2002). Compartmentalized NRG signaling and PDZ domain-containing proteins in synapse structure and function. Int J Dev Neurosci 726: 1-13.
- Huang YZ, M Zang, WC Xiong, Z Luo and L Mei (2003). Erbin suppresses the MAP kinase pathway. J Biol Chem 278:1108-1114, 2003 (featured in Science STKE, pe 37, 2003).
- Ismailov I, Kalikulov D, Inoue T and Friedlander MJ (2004). The kinetic profile of intracellular calcium predicts long-term potentiation and long-term depression. J Neurosci 24: 9847-9861.

- Tyler WJ and Pozzo-Miller LD (2001). BDNF enhances quantal neurotransmitter release and increases the number of docked vesicles at the active zones of hippocampal excitatory synapses. J Neurosci 21: 4249-4258.
- Tyler WJ and L Pozzo-Miller (2003). BDNF and miniature synaptic transmission modulate dendritic spine growth and form in hippocampal CA1 pyramidal neurons. J Physiol 553: 497-509.
- Tyler WJ, Alonso M, Bramham CR and Pozzo-Miller LD (2002). From acquisition to consolidation: on the role of brain-derived neurotrophic factor signaling in hippocampal-dependent learning. Learn Mem 9: 224-237. Cover feature.
- Tyler WJ, Perrett S and Pozzo-Miller LD (2002). The role of neurotrophins in neurotransmitter release. Neuroscientist 8: 524-531.
- Wang Q, Xie Y, Du QS, Wu XJ, Feng X, Mei L, McDonald JM and Xiong WC (2003). Regulation of the formation of osteoclastic actin rings by proline-rich tyrosine kinase 2 interacting with gelsolin. J Cell Biol 160: 565-575.
- Xiong WC and Mei L (2003). Roles of fak family kinases in nervous system. Front Biosci 8: S676-682.
- Yang XL, Xiong WC, Mei L. (2004). Lipid rafts in neuregulin signaling at synapses. Life Sci 75: 2495-504.
- Ye Z-C, Sontheimer H (2002). Modulation of glial glutamate transport through cell interactions with the extracellular matrix. Int J Dev Neurosci 20:209-17.
- Ye Z-C, Ransom BR and Sontheimer H (2001). (1R,3S)-1-Aminocyclopentane- 1,3-dicarboxylic acid (RS-ACPD) reduces intracellular glutamate levels in astrocytes. J Neurochem 79: 756-766.
- Zhai R, Friedmon HV, Cases-Langhoff C, Beckers B, Gundelfinger ED, Ziv N and Garner CC (2001). Assembling the presynaptic active zone: Characterization of an Active zone precursor vesicle. Neuron 29: 131-143.
- Zhuo H, Theis W, Alvarez-Maya I, Brenner M, Willecke R and Messing A (2001). GFAP-Cre transgenic mice for manipulation of glial and neuronal function *in vivo*. Genesis 31: 85-94.

Published abstracts

- Amaral MD and Pozzo-Miller L (2005). Activation of a TRPC current by BDNF requires priming by miniature glutamatergic synaptic transmission and membrane insertion of TRPC3 channels. Soc Neurosci Abstr 36.12.
- Campos-Torres A, Pozzo-Miller LD, McCutchen ME and Barnum S (2002). Complement anaphylatoxins C3a and C5a modulate intracellular Ca²⁺ signaling and excitability of CA1 pyramidal neurons: simultaneous Ca²⁺ imaging and whole-cell recording in rat hippocampal organotypic slices. International Immunopharmacology 2 (9):1372.
- Campos-Torres AG, Ribelayga C, Barnum SR and Pozzo-Miller LD (2004). Complement anaphylatoxins, C3a and C5a, induce an inward current in CA1 pyramidal neurons in hippocampal slice cultures. Soc Neurosci Abstr 961.3.
- Campos-Torres A, Barnum S and Pozzo-Miller L (2004). Complement anaphylatoxins C3a and C5a increase quantal neurotransmitter release in CA1 pyramidal neurons in hippocampal organotypic slices. Molecular Immunology 41: 216.
- Chapleau CA, Carlo ME and Pozzo-Miller L (2005). Endogenous BDNF signaling modulates dendritic spine form in hippocampal CA1 pyramidal neurons. Soc Neurosci Abstr 43.12.
- Dobrunz LE, SA Lyons and HY Sun (2003). Excitatory synapses onto somatostatin containing interneurons in hippocampus have very large short-term facilitation. Soc Neurosci Abstr 808.1.
- Fenster SD, Whitworth T, Tyler WJ, Quick MW and Pozzo-Miller LD (2002). Calcium phosphate-mediated transfection of organotypic slice cultures of postnatal rat hippocampus using GFP and RFP as markers: application for morphological studies. Soc Neurosci Abstr 609.7.
- Haymon S, N Tartaglia, J Du, WJ Tyler, E Neale, B Lu & LD Pozzo-Miller (2000). BDNF increases the number of docked vesicles and the expression levels of synaptic vesicle proteins in hippocampal slices. Soc Neurosci Abstr 331.13.
- Kushner SA, Elgersma Y, Murphy GG, Choi E, Pozzo-Miller LD and Silva AJ (2002). Synaptic and behavioral plasticity in mice expressing constitutively active H-RASG12V. Soc Neurosci Abstr 779.9.
- McCutchen ME and LD Pozzo-Miller (2001). Properties of hippocampal synaptic transmission and plasticity in TrkB knockout mice. Soc Neurosci Abstr 500.17.
- Perrett S and Marchase R (2002). Protein interactions mediated by O-linked N-acetylglucosamine can regulate capacitative calcium entry, FASEB Abstract #5974.
- Perrett S, Bounelis P and Marchase R (2002). Capacitative calcium entry is regulated by cytoplasmic glycosylation. FASEB Summer Research Conference, Abstract 1162-67.
- Pomata PE, T Inoue, DJ Calvo and LD Pozzo-Miller (2003). *I_h* blockade increases dendritic calcium transients evoked by back-propagating action potentials. Soc Neurosci Abstr 369.8.

- Kim CH, Xiong WC and Mei L (2003). Regulation of MuSK expression by a novel signaling pathway. J Biol Chem 278: 38522-38527.
- Kim S-O, K Loesch, X Wang, J Jiang, L Mei, JM Cunnick, J Wu and SJ Frank (2002). A potential role for Grb2-associated binder (Gab)-1 in growth hormone signaling. Endocrinology, 143:4856-4867.
- Kushner SA, Elgersma Y, Murphy GC, Jaarsma D, van Woerden GM, Hojjati MR, Cui Y, LeBoutillier JC, Marrone DF, Choi ES, De Zeeuw CI, Petit TL, Pozzo-Miller L and Silva AJ (2005). Modulation of presynaptic plasticity and learning by the H-ras/ERK/synapsin I signaling pathway. Journal of Neuroscience 25:9721-9734.
- Lanigan TM, Liu A, Huang YZ, Mei L, Margolis B, Guan KL (2003). Human homologue of Drosophila CNK interacts with Ras effector proteins Raf and Rlf. FASEB J 17:2048-2060.
- Lester RAJ (2004). Activation and desensitization of heteromeric neuronal nicotinic receptors: implications for non-synaptic transmission. J Bioorganic Med Chem Letts 14: 1897-1900.
- Lee H-J, K-M. Jung, YZ Huang, LB Bennett, JS Lee and L Mei, and T.-W. Kim (2002). Presenilin-dependent gamma-secretase-like intramembrane cleavage of ErbB4. J Biol Chem 277:6318-6323.
- Liu A, MS Prenger, DD Norton, L Mei, JW Kusiak and G Bai (2001).** NGF uses Ras/Erk and PI3K cascades to upregulate the NR1 promoter. J Biol Chem 276: 45372-45379.
- Luo Z, Wang Q, Dobbins GC, Levy S, Xiong WC and Mei L (2003). Signaling complexes for postsynaptic differentiation. J Neurocytol 32: 697-708.
- Luo ZG, Je HS, Wang Q, Yang F, Dobbins GC, Yang ZH, Xiong WC, Lu B and Mei L (2003). Implication of geranylgeranyltransferase I in synaptogenesis. Neuron 40: 703-717 (highlighted in "Faculty of 1000", 2003).
- Luo ZG, Q Wang, JZ Zhou, J Wang, Z Luo, M Liu, X He, A Wynshaw-Boris, WC Xiong, B Lu and L Mei (2002). Regulation of AChR Clustering by Dishevelled Interacting with MuSK and PAK1. Neuron 35:489-505.
- Lyons SA, O'Neal J, and Sontheimer H (2002). Chlorotoxin, a scorpion-derived peptide, specifically binds to gliomas and tumors of neuroectodermal origin. Glia 39: 162-173.
- Ma L, Huang YZ, Pitcher GM, Valtschanoff JG, Ma YH, Feng LY, Lu B, Xiong WC, Salter MW, Weinberg RJ, and Mei L (2003). Ligand-dependent recruitment of the neuregulin-signaling complex into neuronal lipid rafts. J Neurosci 23: 3164-3175. (highlighted in "This Week in The Journal", J. Neurosci. 23(8):i, 2003).
- McFerrin, M.B. and H. Sontheimer. A role for ion channels in glioma cell invasion. Neuron Glial Biology, in press.
- McCutchen ME, Bramham C and Pozzo-Miller LD (2002). Modulation of neuronal Ca²⁺ signaling by neurotrophic factors. Int J Dev Neurosci 20: 199-207.
- Mei L and Xiong WC. Two birds with one stone: a novel motif for AChR assembly quality control. Trends Neurosci 26:178-81, 2003.
- Olsen ML, Schade S, Lyons SA, Amaral MD and Sontheimer HW (2003). Expression of voltage-gated chloride channels in human glioma cells. J Neurosci 23: 5572-5582.
- Olsen, M.L., H. Higashimori, S.L. Campell, J.J. Hablitz, and H. Sontheimer. Functional expression of Kir4.1 channels in spinal cord astrocytes. GLIA, in press.
- Perrett S, S Dudek, D Eagleman, P Montague and MJ Friedlander (2001). LTD induction in adult visual cortex: Role of stimulus timing and inhibition. J Neurosci 21: 2308-2319.
- Ren AR, Du OS, Huang YZ, Ao SZ, Mei L and Xiong WC (2001). PSGAP, a novel PH and SH3 domain containing rhoGAP protein, interacts with PYK2 and FAK. J Cell Biol 152: 971-984.
- Ren Y, Meng S, Mei L, Zhao ZJ, Jove R, and Wu J (2004). Roles of Gab1 and SHP2 in paxillin tyrosine dephosphorylation and Src activation in response to epidermal growth factor. J Biol Chem 279:8497-8505.
- Ribelayga C and Mangel SC (2003). Absence of circadian clock regulation of horizontal cell gap junctional coupling reveals two dopamine systems in the goldfish retina. J Comp Neurology 467: 243-253.
- Ribelayga C, Wang Y and Mangel SC (2003). A circadian clock in the fish retina regulates dopamine release via activation of melatonin receptors. J Physiol 554.2: 467-482.
- Schrader LA, SP Perrett, L Ye and MJ Friedlander (2004). Substrates for coincidence detection and calcium signaling for induction of synaptic potentiation in the neonatal visual cortex. J Neurophysiol 91: 2747-2764.
- Soroceanu L, Manning TJ and Sontheimer H (2001). Reduced expression of connexin-43 and functional gap junction coupling correlates with malignancy grade of human gliomas. Glia 33: 107-117.
- Su Z, Barker DS, Csutora P, Chang T, Shoemaker RL, Marchase RB and Blalock JE (2003). Regulation of Ca²⁺ release-activated Ca²⁺ channels by INAD and Ca²⁺ influx factor. Am J Physiol Cell Physiol. 284: C497-C505.
- Swann JW and Hablitz JJ (2000) Cellular abnormalities and synaptic plasticity in seizure disorders of the immature nervous system. Mental Retardation & Developmental Disabilities Research Review 6:258-287.
- Tartaglia N, J Du, WJ Tyler, E Neale, LD Pozzo-Miller and B Lu (2001). Protein synthesis dependent and independent regulation of hippocampal synapses by brain-derived neurotrophic factor. J Biol Chem 276: 37585-37593.

- Pozzo-Miller LD and Tyler WJ (2002). Beyond hippocampal LTP: BDNF enhances quantal release, docked vesicles, and the maturation of dendritic spines in CA1 pyramidal neurons. 3rd Forum of European Neuroscience 202.1.
- Pozzo-Miller LD, JH Medina and M Alonso (2003). BDNF increases dendritic spine density in hippocampal CA1 pyramidal neurons via ERK1/2 activation. Soc Neurosci Abstr 7.9.
- LD Pozzo-Miller (2004). BDNF enhances dendritic calcium signals evoked by coincident EPSPs and back-propagating action potentials in CA1 pyramidal neurons. Soc Neurosci Abstr 737.3.
- Pozzo-Miller L, XL Zhang, WJ Tyler, J Winterer, W Müller, PK Stanton (2005). BDNF enhances synaptic vesicle release from the readily releasable pool of excitatory hippocampal synapses. Soc Neurosci Abstr 365.6.
- Sun HY, SA Lyons and LE Dobrunz (2003). Short-term plasticity is different at Schaffer collateral excitatory synapses onto interneurons vs. pyramidal cells in rat hippocampus. Soc Neurosci Abstr 808.2.
- Tyler WJ and LD Pozzo-Miller (2001). BDNF increases spine density in CA1 neurons in the absence of action potentials. . Soc Neurosci Abstr 7.12.
- Tyler WJ, MM Fisher, S Haymon and LD Pozzo-Miller (2000). BDNF increases mEPSC frequency in hippocampal slices by modulating the vesicles docked per active zone as well as the number of synapses per CA1 neuron. Soc Neurosci Abstr 331.14.
- Tyler WJ and Pozzo-Miller LD (2002). BDNF signaling induces the formation of dendritic spines as well as alters spine morphology in the absence of SNARE-mediated vesicular glutamate release. Soc Neurosci Abstr 130.9.
- Wines-Samuels M, CA Chappelle, B Cox, L Pozzo-Miller, J Shen (2005). Presenilins regulate vesicle number and spine length at the synapse. Soc Neurosci Abstr 964.10.
- Ward M, Alonso M, Tyler WJ and Pozzo-Miller LD (2002). BDNF increases dendritic length and branching in hippocampal CA1 pyramidal neurons. Soc Neurosci Abstr 233.6.
- Weathington NM, Ten Broeke R, Nijkamp F and Blalock JE (2002). An essential role for potassium channels in the respiratory burst of macrophages and neutrophils. FASEB # 928.9.